

Perimeter SOLUTIONS PHOS-CHEK® 3% AFFF Milspec



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 07/24/2019 Revision date: 07/24/2019 Version: 1.0

SECTION 1: Identification

Identification

Product form : Mixture

Product name : PHOS-CHEK® 3% AFFF Milspec

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fire extinguisher

For professional use only

1.3. Details of the supplier of the safety data sheet

Manufacturer

Perimeter Solutions LP, Solberg 1520 Brookfield Ave. Green Bay, WI 54313

T. 1-920-593-9445

Perimeter Solutions 10667 Jersey Blvd. Rancho Cucamonga CA, 91730

T. 1-800-682-3626

Perimeter Solutions Canada Ltd.,

3060 Airport Rd., Kamloops B.C., V2B 7X2 T. 1-250-554-3530

Emergency telephone number

Emergency number : CHEMTREC 800-424-9300;

CANUTEC 613-996-6666 (transport only)

SECTION 2: Hazard identification

Classification of the substance or mixture

GHS classification

Eye Irrit. 2A H319

2.2. **Label elements**

GHS labelling

Hazard pictograms (GHS)



Signal word (GHS) : Warning

Hazard statements (GHS) : H319 - Causes serious eye irritation.

Precautionary statements (GHS) P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%
Diethylene glycol monobutyl ether	(CAS-No.) 112-34-5	10-30
Ethyl alcohol	(CAS-No.) 64-17-5	1-5
D-Glucopyranose, oligomeric, decyl octyl glycosides	(CAS-No.) 68515-73-1	1-5

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

07/24/2019 EN (English) Page 1

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation

persists.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Polyvalent powder extinguishers

(ABC powder).

Unsuitable extinguishing media : Tap water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon, organic

compounds.

5.3. Advice for firefighters

Firefighting instructions : Cool closed containers exposed to fire with water spray.

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommen

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material),

then place in suitable container. Do not flush into surface water or sewer system. Wear

recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

07/24/2019 EN (English) 2/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not

swallow. Handle and open container with care. When using do not eat, drink or smoke. Ensure

adequate ventilation.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diethylene glycol monobutyl ether (112-34-5)							
ACGIH	ACGIH TWA (ppm)	10 ppm (inhalable fraction and vapor)					
D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)							
Not applicable							
Ethyl alcohol (64-17-5)							
ACGIH	ACGIH STEL (ppm) 1000 ppm						
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³					
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm					
IDLH	US IDLH (ppm)	3300 ppm (10% LEL)					
NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³					
NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm					

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Wear suitable gloves.

Eye protection : Wear eye/face protection.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or

smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Transparent.
Colour : yellowish
Odour : Characteristic
Odour threshold : No data available

pH : 7.6 - 8.6

Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : > 199.4 °F Non flammable

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Flammability (solid, gas) : Not flammable Vapour pressure : No data available Relative vapour density at 20 °C : No data available

07/24/2019 EN (English) 3/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Relative density : No data available

Density : 1002 - 1042 kg/m³ (@ 68 F)
Solubility : Material highly soluble in water

Partition coefficient n-octanol/water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : 3 cP @ 68 °F

Explosive limits : Lower explosive limit (LEL): No data available Upper explosive limit (UEL): No data available

Explosive properties : No data available
Oxidising properties : No data available

9.2. Other information

Refractive index : 1.367

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Sunlight. Incompatible materials.

10.5. Incompatible materials

Strong acids. Alkalis. Strong bases.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, organic compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Diethylene glycol monobutyl ether (112-34-5)					
LD50 oral rat	5660 mg/kg				
LD50 dermal rabbit	2700 mg/kg				
ATE CA (oral)	5660 mg/kg bodyweight				
ATE CA (Dermal)	2700 mg/kg bodyweight				

Skin corrosion/irritation : Not classified.

pH: 7.6 - 8.6

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7.6 - 8.6 : Not classified.

Respiratory or skin sensitisation : Not classified.

Germ cell mutagenicity : Not classified.

Carcinogenicity : Not classified.

Ethyl alcohol (64-17-5)						
IARC group	1 - Carcinogenic to humans					
Reproductive toxicity	: Not classified.					

STOT-single exposure : Not classified.
STOT-repeated exposure : Not classified.

07/24/2019 EN (English) 4/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Aspiration hazard : Not classified.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

PHOS-CHEK® 3% AFFF Milspec	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

PHOS-CHEK® 3% AFFF Milspec						
Partition coefficient n-octanol/water	Not applicable					
Bioaccumulative potential	Not established.					

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

In accordance with DOT/TDG

Not applicable

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Alcohols, C9-11, branched and linear, ethoxylated, sulfates, sodium salts					CAS-No. 160901-28-0					
							/-	 		

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except for:

Alcohols, C9-11, branched and linear, ethoxylated, sulfates, sodium salts	CAS-No. 160901-28-0
---	---------------------

15.2. International regulations

No additional information available

15.3. US State regulations

MARNING:

This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date : 07/24/2019
Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com




07/24/2019 EN (English) 5/6

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

NFPA health hazard : 2
NFPA fire hazard : 0
NFPA reactivity : 0



Hazard Rating

Health : 2 Moderate Hazard
Flammability : 0 Minimal Hazard
Physical : 0 Minimal Hazard

SDS HazCom 2012 - WHMIS 2015 (NexReg)

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

07/24/2019 EN (English) 6/6