

# Perimeter SOLUTIONS PHOS-CHEK® 6% AFFF Milspec



# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 07/24/2019 Revision date: 07/24/2019 Version: 1.0

#### **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : PHOS-CHEK® 6% AFFF Milspec

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fire extinguisher

For professional use only

1.3. Details of the supplier of the safety data sheet

Manufacturer

Perimeter Solutions LP, Solberg 1520 Brookfield Ave. Green Bay, WI 54313

Green Bay, WI 54313 T. 1-920-593-9445 Perimeter Solutions 10667 Jersey Blvd. Rancho Cucamonga CA, 91730

T. 1-800-682-3626

Perimeter Solutions Canada Ltd., 3060 Airport Rd.,

Kamloops B.C., V2B 7X2 T. 1-250-554-3530

1.4. Emergency telephone number

Emergency number : CHEMTREC 800-424-9300

CANUTEC 613-996-6666 (transport only)

#### SECTION 2: Hazard identification

## 2.1. Classification of the substance or mixture

#### **GHS** classification

Not classified.

#### 2.2. Label elements

# **GHS** labelling

No labeling applicable

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity

Not applicable

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%
Diethylene glycol monobutyl ether	(CAS-No.) 112-34-5	3 - 7
2,4-Pentanediol, 2-methyl-	(CAS-No.) 107-41-5	1 - 5
Sulfuric acid, monodecyl ester, sodium salt	(CAS-No.) 142-87-0	0.5 - 1.5
D-Glucopyranose, oligomeric, decyl octyl glycosides	(CAS-No.) 68515-73-1	< 1

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

#### **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation

persists.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Get medical advice/attention if you feel unwell.

07/24/2019 EN (English) Page 1

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: May cause irritation to the respiratory tract.

Symptoms/effects after skin contact Symptoms/effects after eye contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms/effects after ingestion

: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

# **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire. Polyvalent powder extinguishers

(ABC powder).

Unsuitable extinguishing media : Tap water.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard

: Products of combustion may include, and are not limited to: oxides of carbon. Organic

compounds.

#### 5.3. Advice for firefighters

Firefighting instructions

: Cool closed containers exposed to fire with water spray.

Protection during firefighting

: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and material for containment and cleaning up

For containment

 Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear

recommended personal protective equipment.

: Sweep or shovel spills into appropriate container for disposal.

Methods for cleaning up

For further information refer to section 8: "Exposure controls/personal protection"

# **SECTION 7: Handling and storage**

Reference to other sections

### 7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Ensure adequate ventilation.

Hygiene measures : Wash con

: Wash contaminated clothing before reuse. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed.

Storage temperature :  $0 - 50 \,^{\circ}\text{C} \, (32 - 122 \,^{\circ}\text{F})$ 

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

07/24/2019 EN (English) 2/5

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Diethylene glycol monobutyl ether (112-34-5)				
ACGIH	ACGIH TWA (ppm)	10 ppm (inhalable fraction and vapor)		
Sulfuric acid, monodec	yl ester, sodium salt (142-87-0)			
Not applicable				
D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)				
Not applicable				
2,4-Pentanediol, 2-meth	ıyl- (107-41-5)			
ACGIH	ACGIH TWA (ppm)	25 ppm (vapor fraction)		
ACGIH	ACGIH STEL (mg/m³)	10 mg/m³ (inhalable particulate matter, aerosol only)		
ACGIH	ACGIH STEL (ppm)	50 ppm (vapor fraction)		
NIOSH	NIOSH REL (ceiling) (mg/m³)	125 mg/m³		
NIOSH	NIOSH REL (ceiling) (ppm)	25 ppm		

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or

smoke when using this product.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: TransparentColour: YellowishOdour: CharacteristicOdour threshold: No data available

pH : 7.5 - 8.5

Melting point : No data available Freezing point No data available : No data available Boiling point Flash point : > 93 °C (199.4 °F) : No data available Relative evaporation rate (butylacetate=1) Flammability (solid, gas) : Not flammable. Vapour pressure No data available Vapour pressure at 50 °C (122 °F) : 91.63 (12.22 kPa) Relative vapour density at 20 °C (68 °F) : No data available Relative density : No data available

Density : 1030 - 1070 kg/m³ @ 20 °C (68 °F) Solubility : Material highly soluble in water

Partition coefficient n-octanol/water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available

07/24/2019 EN (English) 3/5

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Oxidising properties : No data available

9.2. Other information

Refractive index : 1.364

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Heat. Incompatible materials.

#### 10.5. Incompatible materials

Strong acids. Alkalis. Strong bases.

## 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Organic compounds.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

Skin corrosion/irritation : Not classified.

pH: 7.5 - 8.5

Serious eye damage/irritation : Not classified.

: Not classified. pH: 7.5 - 8.5

Respiratory or skin sensitisation : Not classified.
Germ cell mutagenicity : Not classified.
Carcinogenicity : Not classified.
Reproductive toxicity : Not classified.
STOT-single exposure : Not classified.
STOT-repeated exposure : Not classified.
Aspiration hazard : Not classified.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

# 12.2. Persistence and degradability

PHOS-CHEK® 6% AFFF Milspec	
Persistence and degradability	Not established.

## 12.3. Bioaccumulative potential

PHOS-CHEK® 6% AFFF Milspec	
Bioaccumulative potential	Not established.

07/24/2019 EN (English) 4/5

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : No other effects known.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# **SECTION 14: Transport information**

#### Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

In accordance with DOT/TDG

Not regulated

# **SECTION 15: Regulatory information**

#### 15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Alcohols, C9-11, branched and linear, ethoxylated, sulfates, sodium salts CAS-No. 160901-28-0

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except for:

Alcohols, C9-11, branched and linear, ethoxylated, sulfates, sodium salts

CAS-No. 160901-28-0

#### 15.2. International regulations

No additional information available

## 15.3. US State regulations

**MARNING:** 

This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16: Other information**


Revision date : 07/24/2019
Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com

NFPA health hazard : 0
NFPA fire hazard : 0
NFPA reactivity : 0





Hazard Rating

Health : 0 Minimal Hazard
Flammability : 0 Minimal Hazard
Physical : 0 Minimal Hazard

SDS HazCom 2012 - WHMIS 2015 (NexReg)

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

07/24/2019 EN (English) 5/5