

TF-136



HIGH VISCOSITY TRAINING FOAM

DESCRIPTION

PHOS-CHEK® TF-136 TRAINING FOAM concentrate is an organo-halogen free synthetic training foam, made with biodegradable surfactants, that simulates alcohol resistant type foams. It is compatible with standard proportioning equipment and can be proportioned at 1%, 3%, or 6% and produce quality foam through most foam discharge devices. The product has extinguishing capability on both Class A and B (hydrocarbon) type fires and has been specially formulated with reduced burn back resistance to enable successive fire tests on the same fuel fire.

SHELF LIFE, INSPECTION AND TESTING

The shelf life of any foam concentrate is maximized by proper storage conditions and maintenance. Factors affecting shelf life are wide temperature fluctuation, evaporation, dilution, and contamination by foreign materials. Properly stored PHOS-CHEK TF-136 Training Foam should have no significant loss of training performance for 10+ years. However, the National Fire Protection Association (NFPA) recommends annual testing of all firefighting foams.

STORAGE AND HANDLING

The concentrate should be stored at temperatures between 35 °F (1.7 °C) and 122 °F (+50 °C), preferably in the original containers.



TYPICAL PHYSICAL PROPERTIES

Specific gravity @ 68 °F (20 °C)	1.015 – 1.035
pH	7.5 ± 0.5
Viscosity (LV-4 Spindle @ 30 RPM)*	1700 – 2300 cP
Refractive Index	1.3600 – 1.3700
Lowest temperature for use	32 °F (0 °C)
Freezing point	23 °F (<-5 °C)

* Brookfield LVT

At 3%, TF-136 fulfills the EN-1568-1 standard for medium expansion foams and the EN-1568-3 for low expansion foams (class IIID).

For more information, contact any of our worldwide Perimeter Solutions Fire Safety offices or visit www.Phos-Chek.com or www.Perimeter-Solutions.com

UNITED STATES
PERIMETER SOLUTIONS, LP
10667 Jersey Blvd.
Rancho Cucamonga, CA 91730
Tel: +1 800 682 3626
+1 909 983 0772
24HR: +1 909 946 7371

EMEA
PERIMETER SOLUTIONS, LP
Polígono Industrial De Baiña, Parc, 23
33682 Baiña-Mieres Asturias – Spain
Tel: +34 985 242945
24HR: +44 01202864796

ASIA PACIFIC
PERIMETER SOLUTIONS, LP
3 Charles Street
St Marys NSW 0276 – Australia
Tel: +61 2 9673 5300
24HR: +61 2 9430 6396

TF-136



HIGH VISCOSITY TRAINING FOAM

HANDLING PRECAUTIONS

- For DETAILED SAFETY INFORMATION, please refer to the SDS.
- **Precautionary Measures:** Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary contact and removal of the material from the eyes, skin and clothing.
- **Eye Protection:** As a good industrial practice, the use of chemical goggles is recommended.
- **If in the eyes:** Flush with plenty of water.
- **Skin Protection:** Wear protective gloves when handling concentrate to minimize skin contact. Wash hands and contaminated skin after handling.
- **Respiratory Protection:** None required.
- For complete SDS, visit www.phos-chek.com

PACKAGING

ORDERING INFORMATION

	lbs*	kgs*	PART #
5 gallon pail (20 litres), PHOS-CHEK TF-136, Training Foam	43	19	10004012
55 gallon drum (200 litres), PHOS-CHEK TF-136, Training Foam	468	212	10004834
265 gallon tote (1,000 litres), PHOS-CHEK TF-136, Training Foam	2255	1023	10004805

*Approximate shipping weight

Contact your local authorized PHOS-CHEK distributor or factory sales representative for details <https://phoschek.com/contact/>



NOTICE Perimeter Solutions makes no representations or warranties as to the completeness or accuracy of the information included herein. The information contained herein is not intended to provide regulatory, legal or expert advice relating to the products, its application or uses. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any industrial property or intellectual property rights, and Perimeter Solutions makes no representation or warranty, express or implied, that the use thereof will not infringe on any industrial property or intellectual property rights. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION CONTAINED HEREIN.