

# SOLBERG® HIGH-EXPANSION FOAM



#### **DESCRIPTION**

**SOLBERG® HI-EX FOAM** is a synthetic, foaming agent containing, among other ingredients, a blend of hydrocarbon based surface active agents.

It is a foam liquid of the type Synthetic Detergent and specially designed to be used in medium and high expanding, air aspirating foam generators to produce foam with expansion ratios from 200:1 to more than 1000:1 depending of the type of generator.

Used as high expansion foam the product is primarily used to extinguish fires in inaccessible areas, like warehouses, with displacement of air as main extinguish mechanism.

The induction rate for SOLBERG HI-EX FOAM is 1-2% and the generated foam shows very good fire suppression capability. The low mixture rate makes SOLBERG HI-EX FOAM economical to use.

SOLBERG HI-EX FOAM is a state of the art product with low environmental impact and virtually non-toxic. SOLBERG HI-EX FOAM can be applied simultaneously to a fire situation where other types of foam are already in use.



### **PROPERTIES**

Visual:	Clear, transparant liquid	
Specific gravity ( 25° c):	1,00 kg/l	
Ph (25° c):	7,5	
Viscosity	< 20 mm²/sec	
Frost resistance: (no quality loss after thawing)	- 2° C.	
Minimum use temperature:	2° C	
Maximum storage temperature:	< 50° C	
Sediments:	None	
Spreading coefficient:	Do not apply	

Foam expansion depending on water pressure and type of equipment:			
Very low expansion:	Do not apply		
Low expansion:	Do not apply		
Medium expansion:	Do not apply		
High expansion:	Do not apply		
25% Drainage time:	Do not apply		
Product guarantee:	10 years when stored in original package		
Salt, fresh an	Salt, fresh and brackish water can be used.		

SOLBERG HI-EX FOAM is EN 1568/2 and ISO 7203-2 tested and can be shipped in 20 litre cans, 200 litre drums or 1000 litre containers. For large amounts bulk delivery is also possible.



## **Solutions That Save.**

## FOR MORE INFORMATION

Contact any of our worldwide Perimeter Solutions Fire Safety offices or visit:

www.Perimeter-Solutions.com

## **UNITED STATES**

10667 Jersey Blvd. Rancho Cucamonga, CA 91730

Tel: +1 800 682 3626 Tel: +1 909 983 0772

salesfoamusa@perimeter-solutions.com

## **EMEA**

Polígono Industrial de Baiña, Parcela 23 33682 Baiña-Mieres (Asturias) – Spain

Tel: +34 985 24 29 45

salesfoamemea@perimeter-solutions.com

## ASIA PACIFIC

3 Charles Street St Marys NSW 2760 – Australia

Tel: +61 2 9673 5300

salesfoamapac@perimeter-solutions.com

## perimeter-solutions.com

NOTICE PERIMETER SOLUTIONS MAKES NO REPRESENTATIONS OR WARRANTIES AS TO THE COMPLETENESS OR ACCURACY OF THE INFORMATION INCLUDED HEREIN. THE INFORMATION CONTAINED HEREIN IS NOT INTENDED TO PROVIDE REGULATORY, LEGAL OR EXPERT ADVICE RELATING TO THE PRODUCTS, ITS APPLICATION OR USES. NOTHING CONTAINED HEREIN IS TO BE CONSTRUED AS A RECOMMENDATION TO USE ANY PRODUCT, PROCESS, EQUIPMENT OR FORMULATION IN CONFLICT WITH ANY INDUSTRIAL PROPERTY OR INTELLECTUAL PROPERTY RIGHTS, AND PERIMETER SOLUTIONS MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, THAT THE USE THEREOF WILL NOT INFRINGE ON ANY INDUSTRIAL PROPERTY OR INTELLECTUAL PROPERTY RIGHTS. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION CONTAINED HEREIN.